

www.luxorfurn.com
www.hwilson.com


Parts List

Tools Required


- Rubber Mallet

NOTICE:


Leg lengths of leg **E** may be shorter than leg **F**



E x4




F x4



A x1


B x1

C x1




D x4

1




2


Install optional cabinet pack / pullout shelf / electrical assembly after step 1




3




4



5



6



www.luxorfurn.com
www.hwilson.com


Parts List

Tools Required

- Phillips Screwdriver




G x1



H x1



K x1



L x2





M x6



N x4

- 1** Lay the top shelf of your cart upside down and install the four legs intended for this shelf.



- 2** Slide and align runner **G** & **H** onto the legs and tighten screw **N** with allen wrench **P**.



IMPORTANT:
Install optional side pullout shelf **AFTER** step 2

- 3** Take pullout shelf **K** and bracket **L** and screw together into the unfinished surface of shelf **K** with screw **M**.

- 4** Mount pullout shelf **K** to runner **G** & **H** so that the edge of the shelf snaps into the runner hooks.




You have now completed your pullout shelf.

LP + LE Cart Cabinet

Pack Instructions









Please consult your cart base unit instructions before starting

Parts List



Tools Required



- Rubber Mallet



www.luxorfurn.com
www.hwilson.com




LP + LE Electrical Assembly Instructions

Parts List



Tools Required

- Philips Screwdriver



1

Attach electric outlet **F** to top shelf **A**, secure with L bracket **G** and cable lock **J**. Loop outlet cable **F** through cable lock **J** and the inserts on shelf **A**. Screw L bracket **G** and cable lock **J** onto top shelf **A** with screw **H** and a philips screwdriver.